

Coastal Inundation and High Tide Flooding Data and Resources

Northeast Regional Climate Center 2024 Webinar Series

John Callahan NOAA National Ocean Service Center for Operational Oceanographic Products & Services (CO-OPS) Ocean Associates, Inc



WEATHER

PBS@ NEWS HOUR East Coast storm causes major across the Northeast


DECEMBER 20, 2023 · 5:04 AM ET

HEARD ON MORNING EDITION

By Patty Wight // Maine Public

It's time for Northeast to prep for floods like those that hit this winter. Climate change is why

PATRICK WHITTLE Associated Press Feb 17, 2024 🔍 0



The Center for Operational Oceanographic Products & Services

Record-setting storm wallops East Coast with flooding, high winds

The Washington Post

Over 800,000 customers had no power in the Northeast on Monday afternoon while major coastal flooding pushed water levels up to 4 feet above normal

By Matthew Cappucci, Jason Samenow and Brady Dennis Updated December 18, 2023 at 5:55 p.m. EST Published December 18, 2023 at 11:17 a.m. EST





Left: Water rises at a

residential area in an aftermath of a storm in Piermont, New

iohn.callahan

York, U.S., January 10, 2024. **REUTERS/Eduardo Munoz**

There are many processes that can lead to coastal flooding

	Di di D	Spatial Scale			-	Potential Magnitude
	Physical Process	Global	Regional	Local	Temporal Scale	(yearly)
Weather timescales, hard to predict	Wind Waves Effects	-	-	X	seconds to minutes	<10 m
	Tsunami		X	Х	minutes to hours	<10's of m's
	Storm Surge (e.g., tropical and extra-tropical storms)	-	x	x	minutes to days	<10 m
Tides, predictable long timescale	Tides		X	х	hours to years	<15 m
	Ocean/Atmospheric Variability (e.g., ENSO response)	-	x	х	days to years	<0.5 m
Climate, provide "favorable environment" for weather events	Ocean Gyre and Over-turning Variability		x	x	years to decades	<0.5 m
	Land Ice Melt/Discharge	Х	X	х	years to centuries	mm's to cm's
	Thermal Expansion	Х	X	х	years to centuries	mm's to cm's
L	Vertical Land Motion	-	X	X	minutes to centuries	mm's to m's





Puerto Rico

Impacts from flooding are a combination of elevated water levels AND thresholds!

Minor Threshold, shallow flooding, causes disruptions to daily life; can be damaging over time. Can have many "minor" causes.

Moderate – damaging Major – destructive Require coastal storm or strong meteorological influence.



Picture

Hazard

Impact

Coastal Flooding Thresholds

National Weather Service Wakefield, Virginia


Major Minor Shallow flooding in the most Widespread flooding of 4 vulnerable locations near the vulnerable areas will result in an waterfront and shoreline resulting elevated threat of property in a low threat of property damage. damage. 1 to 2 feet of inundation Up to 1 foot of inundation in primarily in shoreline and 8 shoreline and vulnerable areas. vulnerable areas. A few shoreline and vulnerable Inundation of roads and low lying roadways and adjacent properties property near the waterfront. will experience shallow flooding. Flooding will extend along tidal > Minor beach erosion with rivers and creeks resulting in possible erosion to the front of some road closures, flooding of vulnerable dune structures. vehicles, and some property.

 Severe beach erosion and considerable erosion of dunes, especially during long duration events.


- Severe flooding will cause extensive inundation and flooding
 - extensive inundation and flooding of numerous roads and buildings resulting in a significant threat to property and life.
- 2 to 3 feet or more of inundation.
- Numerous roads will be impassable, with many unprotected cars submerged.
- Evacuations will be necessary for the most vulnerable areas.
- Flood waters may extend well inland.
- Substantial coastal damage and severe erosion of dunes.




Daily Highest Water Levels at NOAA Tide Gauge NYC



NOAA



NORA




NOAA's Center for Operational Oceanographic Products & Services

NORR

Coastal Flood Frequency at New York, The Battery



Coastal Flood Frequency at New York, The Battery






Coastal Inundation Resources

- Coastal inundation at Climate Timescales (CICT) Whitepaper
- 2022 US Interagency SLR Technical Report
- NOAA CO-OPS Products
 - SLR Trends and Projections (Means)
 - Annual Chance Return Levels (Extremes)
 - High Tide Flooding Frequency (In-Between)
- Real-time Monitoring and Model Guidance
- A few new products




Coastal Inundation at Climate Timescales (2022)

- NOAA-led report, A "whole-of-government" approach
- Describes an *enhanced federal capability* to provide authoritative data, products, and services that quantify and communicate the risk of subseasonal-tocentennial coastal flooding and inundation for the US and its territories.



US Interagency Task Force SLR Technical Report (2022)

- "Interagency" report, not NOAA only!
- Latest SLR projections, extremes, HTF, gridded and station based, etc...
- Basis for NCA5; beginning to be integrated across federal space products and services.






US Interagency Task Force SLR Technical Report (2022)

2022 Sea Level Rise Technical Report Data Files


Available Data (Download Datasets Below)

These CSV files provide a way to directly download three datasets from the 2022 technical report.



APPLICATION GUIDE

for the 2022 Sea Level Rise Technical Report




dinn (bold dash) and Iels fram tide gauges

NOAF


Figure 12. Conceptualization of scenario planning, Scenarios refer to various climate scenarios (e.g., high sea-level rise and low land-use change vs. low sea-level rise and low land-use change). Management strategies are different approaches for achieving a specific planning goal. The colors designate how well a management strategy meets a desired outcome (red = does not meet outcome, yellow = moderately meets the desired outcome, green = meets the desired outcome well). In this conceptualization, Management Strategy 2 would likely be the best investment (indicated by the dashed outline) because while it is not the best (green) under all scenarios, it supports the desired outcome to some level under all future conditions explored.

CO-OPS Mean Sea Level Trends







CO-OPS Mean Sea Level Trends




ITF Mean Sea Level Trends and Projections

2022 ITF report includes model projections, process contributions, and "observed trajectories" over 1970 – 2020 extrapolated out to 2050, which could be linear or non-linear for each site.












ITF Mean Sea Level Trends and Projections


2022 ITF report includes regional trajectories (ENSO, NAO, PDO climate modes removed) and 1-degree gridded model projections.







- 2022 ITF report used a Regional Frequency Analysis (RFA) approach.
 - Combined data from multiple (3-10) tide gauges
 - More robust by extending records
- Based on 98th %tile of daily max (GPD/POT)
- 0.01 events/year to 10 events/year frequencies
- Usually RFA results in a bit higher EWLs from CO-OPS method






• Gridded RFA allows for downscaling to short-term data sites:

 $\frac{\text{EWL}_{\text{local}} = \text{EWL}_{\text{gridded}} * \text{u}_{\text{local}} + \text{u}_{\text{local}}}{\text{where u} = 98^{\text{th}} \% \text{tile of daily max water level}}$

• Takes advantage of nearby stations with long-term data records.






High Tide Flooding

High Tide Flooding (HTF) is defined as the overflow or excess accumulation of ocean water at high tide that covers low-lying areas. *Increasingly common* flood conditions due to SLR, sinking land, and the loss of natural barriers.

Referred to as nuisance, sunny day, or King Tide flooding.

Occurs whroughly about **1 to 2 feet above Mean Higher High Water** (MHHW).





Impacts from flooding is a combination of elevated water levels AND thresholds!

Minor Threshold, shallow flooding, causes disruptions to daily life; can be damaging over time. Can have many "minor" causes.

Moderate – damaging Major – destructive Require coastal storm or strong meteorological influence.



Coastal Flooding Thresholds

National Weather Service Wakefield, Virginia

Major Minor Picture Shallow flooding in the most Widespread flooding of 4 Severe flooding will cause Hazard vulnerable locations near the vulnerable areas will result in an extensive inundation and flooding waterfront and shoreline resulting elevated threat of property of numerous roads and buildings in a low threat of property resulting in a significant threat to damage. damage. property and life. 1 to 2 feet of inundation Up to 1 foot of inundation in primarily in shoreline and 8 2 to 3 feet or more of shoreline and vulnerable areas. vulnerable areas. inundation. A few shoreline and vulnerable Inundation of roads and low lying Numerous roads will be Impact roadways and adjacent properties property near the waterfront. impassable, with many will experience shallow flooding. Flooding will extend along tidal unprotected cars submerged. > Minor beach erosion with rivers and creeks resulting in Evacuations will be necessary for possible erosion to the front of some road closures, flooding of the most vulnerable areas. vulnerable dune structures. vehicles, and some property. Flood waters may extend well Severe beach erosion and inland. considerable erosion of dunes. > Substantial coastal damage and


especially during long duration

events.




severe erosion of dunes.

NOAA's Suite of High Tide Flooding Products




High Tide Flooding

 HTF will occur 5-10 times more often in 2050 than in 2020. Moderate/Major events will occur in 2050 as frequent as minor events do now. Northeast and Western Gulf have highest frequency of HTF due to high rates of SLR.



Coastal Inundation Dashboard and HTF




Real-time monitoring and historical data at water-level stations across the US.

Inundation History: water levels, HTF frequency, seasonal, extremes, projections...




Coastal Inundation Dashboard and HTF






- High interannual variation in frequency of HTF days.
- Primary source of variation, particularly in more Mid-Atlantic stations, is ENSO
 - o **1982-83**
 - o **1987-88**
 - o **1991-92**
 - o **1997-98**
 - o 2009-10
 - o **2015-16**
 - o **2023-24**





Pearson Correlation of HTF counts to climate

ENSO: MID and West Coast have positive correlation with ENSO. NE is mixed.


Tropical Cyclone counts: Mostly positive correlation, except WC.







Annual High Tide Flooding Outlook



A map showing the number of high tide flooding days at National Water Level Observation Network stations observed or projected for the selected year. Flooding thresholds are supplied by NOAA's Office for Coastal Management. Region Station

About

About the Annual Outlook


Above-normal tides can trigger high tide flooding, disrupting coastal communities. This flooding can occur on sunny days and in the absence of storms. More severe flooding may occur if high tides coincide with heavy rains, strong winds, or large waves. As sea levels continue to rise, our coastal communities will experience more frequent high tide flooding - a National average of 45 to 85 days per year by 2050. Predicting the frequency of high tide flooding in the future helps coastal communities plan for and mitigate flooding impacts.

The Annual High Tide Flooding Outlook provides the number of high tide flooding days predicted for the coming meteorological year (May to April). Data is supplemented with decadal projections for the year 2050, sea level rise scenarios, and high tide flood exposure maps to support long-term coastal planning. Summaries are provided for each region to account for geographical differences at the coast, and are accompanied by regional graphics to demonstrate potential high tide flooding impacts.

Using This Product


Begin by selecting a region and year from the drop down menu, or clicking a station on the map to see the number of observed and projected high tide flooding days. Click the region tab to learn more about regional drivers of higher water levels and potential high tide flooding impacts.

Annual High Tide Flooding Outlook





Monthly High Tide Flooding Outlook



A map showing the maximum daily likelihood of high tide flooding at National Water Level Observation Network stations for the selected month represented by color-coded pins. Flooding thresholds are supplied by NOAA's Office for Coastal Management.

Last model run: 2024-01-11

Region	Station	About

About the Monthly Outlook

Above-normal tides can trigger high tide flooding, disrupting coastal communities. This flooding can occur on sunny days and in the absence of storms. More severe flooding may occur if high tides coincide with heavy rains, strong winds, or large waves. As sea levels continue to rise, our coastal communities will experience more frequent high tide flooding - about 45-85 days/year on average nationally by 2050. Predicting the likelihood of high tide flooding helps coastal communities plan for and mitigate impacts.

The Monthly High Tide Flooding Outlook shows when and where above-normal high tides and high tide flooding may be experienced. This model does not account for real-time weather conditions. In the event of severe weather, coastal flooding may still occur outside of dates identified in this product. To monitor water levels in real-time and track storms, visit our Coastal Inundation Dashboard.

Using This Product

To get started, select a region from the drop-down menu or click a station pin on the map to see high tide flooding information for the selected month and year. Click the region tab to learn more about regional drivers and impacts of high tide flooding or the station tab to view daily flooding likelihoods.

- Map View: Visualize where high tide flooding is predicted to occur at NOS water level stations in the selected month (default is the current month). Navigate the map by selecting a region from the drop-down menu or using the pan/zoom tools. Stations are represented by pins color-coded to show flooding likelihoods:
 - White unlikely (0-5%)
 - Light red possible (5-50%)




HTF Monthly Outlook


A novel statistical approach to predict seasonal high tide flooding

Frontiers Frontiers in Marine Science


Gregory Dusek^{1*}, William V. Sweet¹, Matthew J. Widlansky², Philip R. Thompson^{2,3} and John J. Marra⁴


Daily likelihoods (probability of threshold exceedance) is computed for each day for the next 12 months.





flood threshold






Previous month sea level anomaly



Monthly High Tide Flooding Outlook



A map showing the maximum daily likelihood of high tide flooding at National Water Level Observation Network stations for the selected month represented by color-coded pins. Flooding thresholds are supplied by NOAA's Office for Coastal Management.

Last model run: 2024-01-11

Region	Station	Abou
0		

Northeast

Why Will The Tide Be Higher Than Normal?

Expect higher tides on and around the dates of the new moon and full moon (known as spring tides). A new moon will occur on February 09, and a full moon will occur on February 24 (ET). Higher than normal high tides and lower than normal low tides will occur around the perigean spring tide, when the Moon is new and closest to Earth.


What kind of impact might I expect along the coast?


Low lying areas may flood, however high tides alone will likely not cause a significant impact on the coast in most areas unless accompanied by a storm or strong winds. Lower than normal low tides will also occur.

Visit the NOAA Coastal Inundation Dashboard for this region to view real-time water levels with forecasts out to 48 hours



HTF Monthly Outlook







NOAA

New Product: Coastal Ocean Reanalysis (CORA)

- Water level and wave reanalysis for 1979 present (~43 years) every 500m along the entire US coastline.
- Forced by ERA5 (atmosphere) and couples ADCIRC (surge+tides) and SWAN (waves) modeling.
- Data assimilation from NOAA tide gauges.
- US East and Gulf Coast version 1 complete.




New Product: Coastal Ocean Reanalysis (CORA)




New Product: Tidal Datum Update


- National Tidal Datum Epoch (NTDE)
- Updating from1983-2001 to 2002-2020
 - Increases at nearly all stations
- All products will need to take new datums into account:
 - Tidal predictions, navigation
 - Real-time water level monitoring
 - SLR projections
 - EWLs (above MHHW)
 - HTF thresholds
 - NWS warnings/advisories



New Product: Tidal Datum Update

- National Tidal Datum Epoch (NTDE)
- Updating from1983-2001 to 2002-2020
 - Increases at nearly all stations







New-ish Product: CO-OPS APIs



This application builds a URL based off of inputed parameters that links to our various APIs. It can be used to make a link that returns data. Select one of the following to begin.



New-ish Product: CO-OPS APIs



Web site owner: Center for Operational Oceanographic Products and Services Questions or feedback? Contact us at co-ops.userservices@noaa.gov

NDRR

Summary of Resources

- Sea Level Trends
- Extreme Water Levels
- High Tide Flooding Annual Outlook
- High Tide Flooding Monthly Outlook
- <u>CO-OPS API URL Generator</u>
- Coastal Inundation at Climate Timescales Whitepaper
- <u>2022 US Interagency SLR Technical Report</u>
- <u>NASA Flood Analysis Tool</u>
- NOAA Sea Level Viewer
- <u>NCA5 Coastal Effects Chapter</u>



Questions?



Thank you!

Contact: john.callahan@noaa.gov

https://tidesandcurrents.noaa.gov/

