
Northeast Spring Flood Outlook 2024

- Climatological winter 2023-24: Below normal snowfall, above average temperatures and precipitation most areas.
- Snow has increased across the northern high terrain this March.
- Below normal snow water found except near normal at elevations 1500+ ft in northern New England
- Flood potential has increased again in extreme southeastern NY...southern and eastern New England.





now Legend) forec

Neal Strauss

Hydrometeorologist NERFC neal.strauss@noaa.gov 508-622-3300

BRIEFING VALID: 3/28/2024

13124 to 3281

Major River basins within the NERFC area:

NERFC Responsibility

Major river basins include Genesee, Hudson, Housatonic, Connecticut, Merrimack, Kennebec and Penobscot, Blackstone, Pawtuxet

Courtesy Dave Vallee

Factors for Spring Flood Potential 2024


- Soil Moisture and Groundwater levels: Normal to well Above normal central and east.
- Streamflows: Near to Above normal central and east.
- Near normal snowpack and snow water in the higher elevations of Northern New England


Heavy rain can cause flooding even if none of these extra factors exist



--1.9 to +1.9 (Near Normal)

Drought Severity Index by Division Weekly Value for Period Ending Mar 23, 2024 Long Term Palmer








Missing/Incomplete

Recent Precipitation


Above normal precipitation across most of the NERFC area for March thus far


- → For March, monthly precipitation totals are 1-5+ inches above normal except near normal ACK,MVY, Western NY. Double the normal March precipitation so far from NYC, BDL, PVD, PWM, CON.
- → Looking out 60 days, mixed precipitation departures:
 - Above normal precipitation most significant extreme southeastern NY, most of SNE, coastal ME
 - Near to Below normal for northern & western NY, far northern ME
 - Below normal Martha's Vineyard and Nantucket






Significant late March snowfall





New snow totals 1-2+ feet were added across high terrain areas of the northern basins 3/23-24.

River Ice Conditions




- River ice re-formed in parts of far northern New England.
- Significant river ice remains confined to northern Maine primarily the Saint John and Aroostook Rivers.



Webcam image along the Saint John River at Dickey, Maine.



Snowpack Temperature and Snow Density values




- Coldest snowpack temperatures found across high terrain areas and northwestern Maine.
- Higher snowpack densities from southern/central Green Mountains into central New Hampshire to the foothills of interior Maine.

NWSNERFC

NERFC 72 hour Precipitation and Snowmelt, Snowfall forecasts

- Rain changing to snow primarily across interior northern New England
- Drier weather conditions this weekend.
- Some significant snow accumulations forecast across northern New Hampshire and northwestern Maine.
- Heaviest amounts expected in the higher elevations






Through: Sat, Mar 30 2024, 6 AM MDT

mad- Mar 27 at 6-00 PM MIT

esri





Groundwater (courtesy USGS)




Near normal to above normal outside of western New York

- Groundwater wells in New England and eastern New York \rightarrow are in the normal to well above normal range
- Widespread below normal groundwater levels observed in \rightarrow western New York & Nantucket Island. Some maximum levels for late March in eastern NY and New England.
- Reduced storage for additional runoff in these areas. \rightarrow








2023 - 2024


No. or a local day in the local day in the



New England Lake Levels



- Significant increase at Lake Winnipesaukee from normal levels from early March to above normal now.
- Lake Champlain remains above average with a net increase since the beginning of March.



Lake Champlain Extremes and 2024 Level


Other reservoirs of note (all increased since the end of February):

- Quabbin 100.9% (as of 3/25 overspilling)
- Scituate 105.8% (overspilling)

f y NWSNERFC

New York Lake Levels / Water Supply





- NYC system is at 99.9% capacity (normal is 94.7%)
- Great Sacandaga remains above maximum levels for this time of year.




NERFC River Conditions and 5 day Significant River Flood Outlook



Northeast River Forecast Center

Action to Minor River flooding primarily along the eastern New England coastal basins



Flash flooding or Minor river flooding are NOT included in this outlook. Check your local weather forecast frequently for the most up to date information for your area

Shaded areas are the forecast region of the Northeast River Forecast Center Significant River Flooding Not Expected



Significant River Flooding Possible Weather conditions indicate, without certainty that significant river flooding could occur





Significant River Flooding Likely Weather conditions indicate that significant river flood conditions can be expected Significant River Flooding Occurring Significant river flooding is occurring at this time



Ensemble Streamflow Predictions

NWSNERFC







Signals in the NAEFS ensemble for action and minor flood level rises mostly through this weekend due to <u>OPF</u> and melt runoff.

Additional signal noted around 4/3-4/4 subject to ptype and QPF amounts with the low track.

NERFC Long Range Flood Outlook through the next 90 days








 Chance of exceeding flood vs the historical values: Greatest signal: Pawtuxet River at Cranston RI and Wood River at Hope Valley RI
NWSNERFC

Drought Monitor




Drought conditions expected to persist in a small portion of western New York State



 \rightarrow


CPC 6-10 Day Outlook



Near to above normal temperatures and above normal precipitation favored for the Northeast.




CPC 8-14 day Outlook



Near normal to above normal temperatures and below normal to near normal precipitation.




CPC Week 3-4 Outlook



Signal for above normal temperatures in the 3-4 week Outlook. Precipitation outlook leans near the climatological normal.



CPC 90 Day Seasonal Outlook





In the 90 day seasonal outlook, there is a signal for above normal temperatures. Precipitation outlook is near the climatological normal to leaning above normal approaching the Mid Atlantic.



ENSO Conditions


- Moderate El Nino is in progress. Current +1.3C SST anomaly in Nino 3.4 region. Recent three month DJF average +1.8C
- Likely transition to ENSO neutral late Spring, and La Nina in late Summer.








Northeast Spring Flood Outlook 2024



Summary:

- •(Spring) flood potential is above normal across extreme southeastern New York...southern and eastern New England, normal elsewhere except below normal in western NY.
- Water Supply may become a concern across western New York State
- Ice jam flood potential slightly above normal in northern Maine. Elsewhere below normal or passed for season.

Neal Strauss Hydrometeorologist NERFC neal.strauss@noaa.gov





Disclaimer: This **TWO WEEK** outlook compares the current flood potential to the normal flood potential during the valid period. It takes into account snowpack conditions, antecendent soil moisture, water supply, ice and future weather conditions.

BRIEFING VALID: 3/28/2024